

# COMBI

## COMBINATION LOCK

### PRODUCT DATA SHEET

## 1. MAIN FEATURES

### Description

Mechanical 4-digit combination lock with a modern design.  
With a fastening system that allows us to adapt it to doors from 1 to 22 mm.  
Available in black, silver and white finish.  
Integrated handle.  
DDA /ADA Nozzle.



### Configuration

- Fixed and free

### Compatibilities

- All door types up to 22 mm

### Maintenance

- Master key
- Possibility of code search


### Safety

- Vandal-proof
- Interchangeable cylinder in case of loss of master cylinder
- 4 mm stainless steel latch hook


## 2. TECHNICAL SPECIFICATIONS

|                                       |                                |                                                                          |
|---------------------------------------|--------------------------------|--------------------------------------------------------------------------|
| <b>AUTHENTICATION METHODS</b>         | <b>Authentication method</b>   | <b>Code</b>                                                              |
| <b>MODES OF USE</b>                   | <b>Free Mode</b>               |                                                                          |
|                                       | <b>Fixed Mode</b>              |                                                                          |
| <b>MECHANICAL FEATURES</b>            | <b>Front handle dimensions</b> | 113 mm x 39 mm                                                           |
|                                       | <b>Weight</b>                  | <ul style="list-style-type: none"><li>• 405 g</li></ul>                  |
|                                       | <b>Closing resistance</b>      | 1000 N                                                                   |
|                                       | <b>Outer Finish</b>            | <ul style="list-style-type: none"><li>• Black</li></ul>                  |
|                                       |                                | <ul style="list-style-type: none"><li>• Silver</li><li>• White</li></ul> |
| <b>ENVIRONMENTAL USAGE CONDITIONS</b> | <b>Wet or dry environments</b> |                                                                          |

### 3. ASSEMBLY



| Door thickness                  | Necessary pad                  |
|---------------------------------|--------------------------------|
| 1 mm (3/64")                    | 5 mm (13/64") and 10 mm (3/8") |
| 2 mm (5/65") and 6 mm (15/64")  | 10 mm (3/8")                   |
| 7 mm (9/32") and 11 mm (7/16")  | 5 mm (13/64")                  |
| 12 mm (15/32") and 22 mm (7/8") | 0                              |



#### 4. OTHER DATA

- 
- |                      |                                                                                                                                                  |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Door Material</b> | <ul style="list-style-type: none"> <li>• Phenolic board</li> <li>• Glass</li> <li>• Metal</li> <li>• HPL laminate</li> <li>• Melamine</li> </ul> |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
- 

**Door Thickness** <22 mm

---

**Availability** Right / Left (Same lock)

---

#### 5. OPTIONAL ACCESSORIES

→ Master key

→ PADS

8001.S05PN (5 mm)

8001.S10PN (10 mm)